

Middlesex University Research Repository

An open access repository of
Middlesex University research

<http://eprints.mdx.ac.uk>

Allan, Helen T. ORCID: <https://orcid.org/0000-0001-9391-0385>, van den Akker, Olga ORCID: <https://orcid.org/0000-0002-3529-4358>, Culley, Lorraine, Mounce, Ginny, Odelius, Anki and Symon, Andrew (2019) An integrative literature review of psychosocial factors in the transition to parenthood following non-donor-assisted reproduction compared with spontaneously conceiving couples. *Human Fertility* . pp. 1-18. ISSN 1464-7273 [Article] (Published online first) (doi:10.1080/14647273.2019.1640901)

Final accepted version (with author's formatting)

This version is available at: <http://eprints.mdx.ac.uk/26785/>

Copyright:

Middlesex University Research Repository makes the University's research available electronically.

Copyright and moral rights to this work are retained by the author and/or other copyright owners unless otherwise stated. The work is supplied on the understanding that any use for commercial gain is strictly forbidden. A copy may be downloaded for personal, non-commercial, research or study without prior permission and without charge.

Works, including theses and research projects, may not be reproduced in any format or medium, or extensive quotations taken from them, or their content changed in any way, without first obtaining permission in writing from the copyright holder(s). They may not be sold or exploited commercially in any format or medium without the prior written permission of the copyright holder(s).

Full bibliographic details must be given when referring to, or quoting from full items including the author's name, the title of the work, publication details where relevant (place, publisher, date), pagination, and for theses or dissertations the awarding institution, the degree type awarded, and the date of the award.

If you believe that any material held in the repository infringes copyright law, please contact the Repository Team at Middlesex University via the following email address:

eprints@mdx.ac.uk

The item will be removed from the repository while any claim is being investigated.

See also repository copyright: re-use policy: <http://eprints.mdx.ac.uk/policies.html#copy>

Table 4: identified psychosocial factors which shape the transition to non-donor AR parenthood in comparison with SC parents

<p>Theme 1: Social support</p>	<p>AR women perceived less support from friends than did SC women (Gameiro et al., 2010)</p>
<p>Theme 2: Relationships</p>	<p>Family alliance scores reduced in the IVF sample when the babies were 9 months (Cairo et al 2012)</p> <p>Employed IVF mothers showed less respect for their child's autonomy compared to non-employed IVF mothers and employed comparison mothers (Colpin et al., 1995)</p> <p>Different scores in parental adjustment and child behaviour in ART families in Eastern Europe compared to families in Western Europe (Cook et al, 2007)</p> <p>IVF mothers reported greater protectiveness, including separation anxiety, towards their children (Hahn & Pietro 2001)</p> <p>IVF UK couples reported less marital satisfaction (Hahn & Pietro 2001)</p> <p>IVF fathers were more anxious and indirectly aggressive (Hjelmstedt and Collins, 2008)</p> <p>Non-donor AR couples did not experience increased anxiety or mental health issues one year after birth. An association found between a higher number of treatment cycles and female cause for infertility (women) and longer wait for pregnancy (men) with lower anxiety and good mental health (Jongbloed-Pereboom et al., 2012).</p> <p>Cultural differences need to be considered when investigating the wellbeing of ART parents and their children. (Nekkebroeck <i>et al.</i>, 2010)</p>
<p>Theme 3: Parents' emotional wellbeing</p>	<p>IVF mothers reported lower self-esteem and maternal self-efficacy and less satisfaction with aspects of family and marital functioning. Observations of maternal behaviours did not reveal differences in the quality of interactions with their infants, and early adjustment difficulties were mostly accounted for by those mothers who underwent repeated IVF treatment cycles (McMahon et al., 1997)</p> <p>IVF mothers reported raised external locus of control. High numbers of IVF treatments also predicted lower (more defensive) scores on the PSI's Defensive Responding domain. (McMahon et al., 2003)</p>

	Physical exercise improved IVF mothers' sense of control during unstable transition (Walker et al., 2017)
--	---