

# Middlesex University Research Repository

An open access repository of

Middlesex University research

<http://eprints.mdx.ac.uk>

Zakari, Abubakar, Ahmad Lawan, Abdulmalik and Bekaroo, Girish ORCID logo ORCID:  
<https://orcid.org/0000-0003-1753-4300> (2017) A hybrid three-phased approach in requirement elicitation. Fleming, Peter, Vyas, Nalinaksh, Sanei, Saeid and Deb, Kalyanmoy, eds. Emerging trends in electrical, electronic and communications engineering: Proceedings of the first international conference on electrical, electronic and communications engineering. In: ELECOM 2016, 25 -27 Nov 2016, Bagatelle, Mauritius. ISBN 9783319521701, pbk-ISBN 9783319848372, e-ISBN 9783319521718. ISSN 1876-1100 [Conference or Workshop Item] (doi:10.1007/978-3-319-52171-8\_30)

Final accepted version (with author's formatting)

This version is available at: <https://eprints.mdx.ac.uk/29775/>

## Copyright:

Middlesex University Research Repository makes the University's research available electronically.

Copyright and moral rights to this work are retained by the author and/or other copyright owners unless otherwise stated. The work is supplied on the understanding that any use for commercial gain is strictly forbidden. A copy may be downloaded for personal, non-commercial, research or study without prior permission and without charge.

Works, including theses and research projects, may not be reproduced in any format or medium, or extensive quotations taken from them, or their content changed in any way, without first obtaining permission in writing from the copyright holder(s). They may not be sold or exploited commercially in any format or medium without the prior written permission of the copyright holder(s).

Full bibliographic details must be given when referring to, or quoting from full items including the author's name, the title of the work, publication details where relevant (place, publisher, date), pagination, and for theses or dissertations the awarding institution, the degree type awarded, and the date of the award.

If you believe that any material held in the repository infringes copyright law, please contact the Repository Team at Middlesex University via the following email address:

[eprints@mdx.ac.uk](mailto:eprints@mdx.ac.uk)

The item will be removed from the repository while any claim is being investigated.

See also repository copyright: re-use policy: <http://eprints.mdx.ac.uk/policies.html#copy>

# A Hybrid Three-Phased Approach in Requirement Elicitation

Abubakar Zakari\*<sup>1</sup>, Abdulmalik Ahmad Lawan\*<sup>2</sup>, Girish Bekaroo<sup>3</sup>

<sup>1,2</sup>Department of Computer Science, Kano University of Science and Technology  
Wudil, Kano Nigeria

<sup>3</sup> School of Science and Technology, Middlesex University (Mauritius Branch Campus),  
Vacoas, Mauritius

{\*<sup>1</sup> abubakar.zakari@yahoo.com; \*<sup>2</sup> aaltofa2000@gmail.com; <sup>3</sup>g.bekaroo@mdx.ac.mu}

**Abstract.** Requirement elicitation is one of the most important activities in requirement engineering and allocating limited amount of time in this activity is considered to significantly contribute towards failure of software projects. Having quality requirements is also greatly influenced by the techniques utilized during requirement elicitation process. The adoption of a single requirement elicitation technique within software development projects has various drawbacks. As solution, hybrid techniques are being considered as the way towards comprehensive requirements engineering. This paper investigates the hybrid requirement elicitation technique to tackle the challenges developers are facing in the process of software development. In this paper, the combination of 3 requirement elicitation techniques, namely use of questionnaire, interview and prototyping in a unified framework is investigated during the implementation of an online educational system.

**Keywords:** Requirement Elicitation, Requirement Engineering, Hybrid Requirement Elicitation, Software Development Life-Cycle (SDLC).

## 1 Introduction

Requirement engineering is a segment of software engineering that is responsible for identifying the real functions and limitations of software system. By identifying both user and system requirements through the respective stakeholders of a system, it leads to a quality deliverance of a software system [1]. During recent years, researchers actively attempted to improve quality in the initial stage of the software development life cycle (SDLC). Automation of requirement engineering process became of high importance, but despite all the effort, requirements engineering (RE) still remain a tough problem to automate because of its human-centered nature [2].

Requirements are highly important in understanding, managing and controlling costs in software projects and their identification are considered as vital towards success of software projects [3, 4]. Although requirements need to be sufficiently complete, consistent and testable, the most neglected practice in SDLC is to document them [3]. Moreover, using requirement documents that have errors as a reference in other projects can adversely cause further errors in the final product. A study showed

that companies spent nearly 10% out of total time allocated on a project in requirement gathering and on completion of the project many companies realized that about 50-80% of their budget is gone on rework because time spent on requirement gathering was not enough [3]. Furthermore, projects where adequate time was spent on requirement gathering was found to have high success rate in comparison to projects that were allocated less time for requirement gathering [4].

In software requirement engineering, two types of requirements are gathered, namely, functional and non-functional requirements [5, 6, 7, 8]. Functional requirement specifies something the system should while non-functional requirements relate to the operation of a system [2, 9, 10]. The core activities in requirement engineering are:

- i. **Requirement Elicitation:** Requirement elicitation is the process of gathering data from the user or stakeholders to the system developer [11, 12] .
- ii. **Requirement Analysis:** All information gathered in the requirement elicitation process are analyzed and broken-down for the understanding of stakeholders needs [13].
- iii. **Requirement Implementation:** Requirement implementation is the stage where the software is coded and executed.
- iv. **Requirement Documentation:** The elicited data are documented for use during the implementation of the software [12].
- v. **Requirement Validation:** Also called as requirement verification [14], this process ensures that requirement documents are complete with unambiguity and users/stakeholders are satisfied with the requirement specification.

## 1.1 Requirement Elicitation

Getting quality requirements is of high importance to any software development project, which is directly proportional to the success of that project irrespective of the methodology utilized [14]. As such, requirement elicitation is vital in software development process [2]. It is the process of understanding the problems a proposed system will address through seeking, understanding and full disclosure of the needs of users and stakeholders, so as to communicate those needs to the developers [15]. There are two types of requirements elicitation techniques, namely, the direct approach and indirect approach. The direct approach techniques are based on case-study, interview, and prototyping [16]. The indirect approach is used in cases where information and data are cannot be easily retrieved. The techniques under in-direct approach involve use of questionnaire and document analysis, among others. Figures and statistics are utilized in this approach to clarify things.

## 1.2 Requirement Elicitation Techniques

As discussed earlier, requirement elicitation is the stage where the system developer gets to understand the problems of a proposed system [15, 17]. Different techniques are used in the process where the first one is interview. The main aim of interview is

to investigate and understand the requirement engineering process [18, 19]. In an interview, the users/stakeholders need to be interviewed first [20] and the interviewer will discuss the requirement of the product (system) with the user/stakeholder to get the overall view of the whole system. This technique has also been identified as the most utilized one because it mandates face to face interaction between the interviewer and the users/stakeholders and information can be driven quickly [21]. Survey is another technique and is used to gather requirements from users/stakeholders that may reside at different locations [22]. This technique is also utilized to analyze data from larger population of people than interviews [23]. With questionnaire, information can be obtained from a large group of people to get different views from the users/stakeholders [6, 12]. Another technique is observation which involves observing how people do their work practically. This technique can help in getting complex requirements that interviews cannot reveal [24]. Brainstorming is another technique where an individual member is free to express his/her idea about a product (system) to help bring about new ideas and solutions to a problem [25]. Finally, prototyping involves developing a version of the product (system) in order to get feedback from users/stakeholders.

## **2 Related Work**

Hickey and Davis [26] presented a mathematical model of requirements elicitation that provided understanding of what analysts need to perform during elicitation, how elicitation techniques should be selected, and clue on improving likelihood that the system conform to customers' needs. The same work suggested that future models should capture the critical roles played by knowledge in both elicitation and elicitation technique selection. Another study [11] provided an overview on requirement elicitation techniques while comparing the strength of various requirement elicitation tools based on various parameters. The cons of adopting single requirement elicitation technique were highlighted in the same study. Basir et al [27] constructed a framework for eliciting requirements that are considered as hidden or embedded and whose omission might cause software failure (i.e. tacit requirements). A hybrid framework was designed by integrating a reputable process and model of tacit requirements elicitation. Furthermore, 15 expert interviews were conducted to explore current practices in requirements engineering in three industries developing hybrid products [2]. Results of the same study showed that most components of hybrid products are developed independently from each other while involving high-level of technological integration of the elements and because of that, hybrid techniques was suggested as the way toward comprehensive requirements engineering. To improve effectiveness and efficiency of requirement elicitation different studies have been conducted using the hybrid approach [28, 29, 30]. Rooksby et al [31] developed a hybrid process to fast-track consensual problem definition in large-scale systems with multiple stakeholders when eliciting requirement. Additionally, hybrid approaches was also highlighted to be effective in agile software development [32].

As hybrid techniques has been suggested as the way towards comprehensive requirements engineering, this paper proposes a novel hybrid requirement elicitation

technique to tackle the challenges developers have in the process of software development [4, 14, 33].

### 3 The Proposed Hybrid Requirement Elicitation Approach

This study attempted the combination of 3 requirement elicitation techniques, namely use of questionnaire, interview and prototyping in a unified framework that is expected to strengthen the process of requirement elicitation. The approach used operates as follows and is depicted in Fig. 1:

**Stage 1:** In the first phase, the aim is to get information from large group of people so as to get different views from the users/stakeholders using questionnaires. Information collected is then analyzed to get insightful information on the key questions that need to be asked to the main stakeholders of the system.

**Stage 2:** In this stage, an interview is conducted to further refine the requirements driven from the questionnaire in phase 1, which will help in building the first prototype of the system at the later stage.

**Stage 3:** After acquiring information from users/stakeholders using questionnaires and interview, the requirement driven from interview will help in developing the first prototype of the product (system). This first prototype is to give the users/stakeholders the practical experience of the product (system) and their feedback will help in developing the final prototype.




Fig. 1: A Three-Phased Hybrid Approach to Requirement Elicitation

## 4 Application of the Three-Phased Hybrid Approach

The conceptualized three-phased hybrid approach was utilized when building a system called NailClassroom<sup>1</sup> to elicit requirements from users/stakeholders. NailClassroom is an online educational system that makes communication and data sharing between lecturers and students easy and fast. In order to achieve these requirements, different factors pertaining to web design were also implemented [34, 35]. Application of the approach is described as follows:

### 4.1 Participants

**Stage 1 Participants:** A questionnaire was formulated and administered to 550 students and 50 lecturers from public universities in Kano State Nigeria. A valid response of 150 students and 20 lecturers was recorded. The demographic details of the participants are given in Tables 1-3.

**Table 1: Age Split of the Questionnaire Respondents**

Age	Count	Percentage
18-22	67	39.4
23-27	64	37.6
28-32	20	11.8
33-37	8	4.7
38-42	4	2.4
Above 42	7	4.1
<b>Total</b>	<b>170</b>	<b>100.0</b>

**Table 2: Gender Split of the Questionnaire Respondents**

Gender	Count	Percentage
Male	114	67.1
Female	56	32.9
<b>Total</b>	<b>170</b>	<b>100.0</b>

**Table 3: Academic Level of the Questionnaire Respondents**

Level	Frequency	Percentage
100	17	10.0
200	44	25.9
300	39	22.9
400	70	41.2
<b>Total</b>	<b>170</b>	<b>100.0</b>

**Table 4: Departments of the Questionnaire Respondents**

Department	Frequency	Percentage
------------	-----------	------------

<sup>1</sup> NailClassroom, Available at: <http://nailclassroom.com/>

Mathematics	98	57.6
Computer Science	72	42.4
<b>Total</b>	<b>170</b>	<b>100.0</b>

**Stage 2 Participants:** Information obtained from the questionnaire helped in identifying the real users/stakeholders and in narrowing vital questions to be used in our interview to get our requirement right. In Stage 2, 5 lecturers from the Computer Science department, 2 lecturers from Mathematics department and 5 students all from Kano University of Science and Technology, Wudil were interviewed.

**Stage 3 Participants:** Requirements finalized in phase 2 helped in building the first prototype of the system. The first prototype was developed and tested on 20 students and 5 lecturers at Kano University of Science and Technology. The feedback accumulated from the first prototype was used to make required changes on the requirement document; which helped in developing the second prototype. This prototype is presently adopted by more than 500 students across Nigerian universities.

#### 4.2 Analysis of Proposed Approach

Among the elicitation techniques utilized, interview and questionnaire were found to be effective in getting ambiguous and complex requirements from users/stakeholders. From phase 1 towards phase 3, requirements were further fine-tuned and the stakeholders claimed to be more involved in the process. Among the three techniques, prototyping was found to be more effective as the stakeholders would be able to obtain the look and feel of the system. However, to confirm whether elicited requirements were correctly collected, the final prototype was validated by the same users involved during each of the 3 stages of elicitation. In the process, data was collected pertaining to collaboration/syllabus (part A) and ease of use of the implemented final prototype (B) was collected.

### 5 Results & Discussions

Results from the three stages, namely, use of questionnaire, interview and prototype are given as follows:

**Stage 1 Result:** Questionnaire




Fig. 1: Collaboration/ Syllabus Validity




Fig. 2: Ease of Use Validity

**Stage 2 Result: Interview**

Table 5: Interview Responses

<b>Part A:</b>		
	<b>Positive Response</b>	<b>Negative Response</b>
Students	41.7%	0.0%
Lecturers	58.3%	0.0%
Total	100.0%	0.0%
<b>Part B:</b>		
	<b>Positive Response</b>	<b>Negative Response</b>
Students	41.7%	0.0%
Lecturers	50.0%	8.3%
Total	91.7%	8.3%

**Stage 3 Result: Prototype Feedback**




Fig. 3: Collaboration/ Syllabus Validity




Fig. 4: Ease of Use Validity

Results from the three phases revealed a high positivity in terms of validity of requirements. A few negative responses were also gathered especially from users who had more expectations from the system in terms of look and feel, although a prototype was used as part of validation. Overall, findings of the study made it clear that hybrid approach to requirement elicitation is the way forward to requirements elicitation,

which could be smoothened by the proposed three-phased hybrid requirement elicitation technique in this study. The accuracy of requirements collected varies in each stage of our hybrid technique but showed to improve from Stage 1 until the last stage. There is no such thing as 100% accurate requirement but getting a successful system running according to user requirements, is a tangible and reliable indicator that a developer should consider. The proposed hybrid approach is thus expected to provide software developers a feasible framework toward generating accurate requirements.

## 6 Conclusions

This paper investigated the hybrid requirement elicitation technique involving the combination of 3 such techniques, namely use of questionnaire, interview and prototyping in a unified framework. The proposed approach was investigated during the implementation of an online educational system called NailClassroom. Results revealed a high positivity in terms of validity of requirements by participants from the three phases. Results also confirmed that hybrid approach to requirement elicitation is the way forward to requirements elicitation as accuracy of gathered requirements improved from first stage to the final one. As future work, the same approach could be further investigated in different types and size of software development projects.

## 7 References

1. Lee, Y., Zhao, W., 2006. Domain requirements elicitation and analysis-an ontology-based approach. In International Conference on Computational Science (2006). pp. 805-813.
2. Berkovich, M., Leimeister, J. M., Krcmar, H.: An empirical exploration of requirements engineering for hybrid products. In 17th European Conference on Information Systems (2009). pp. 1–13.
3. Mrayat, O. I. A., Norwawi, N. M., Basir, N.: Requirements Elicitation Techniques: Comparative Study. International Journal of Recent Development in Engineering and Technology. vol. 1. no. 3 (2013). pp. 1–10.
4. Shehzad, K., Awan, M., Rizvi, S., Khiyal, M.: A Hybrid Technique based on Standard SRS Modules for Software Requirement Prioritization. In Informing Science & IT Education Conference (2014) pp. 279–294.
5. Pa, N., Zin, A.: Requirement elicitation: identifying the communication challenges between developer and customer. International Journal of New Computer Architectures and their Applications (IJNCAA). vol. 1. no. 2 (2011). pp. 371-383.
6. Marupaka, T., Raju, C., Tudigani, A.: Requirement Engineering – Monitoring Elicitation Technique for End Product Software. International Journal of Emerging Trends & Technology in Computer Science (IJETTCS). vol. 3. no. 1 (2014) pp. 1–6.
7. Saranya, R.: Survey on Security Measures of Software Requirement Engineering. International Journal of Computer Applications. vol. 90. no. 17 (2014). pp. 12–19.
8. Nisar, S., Nawaz, M., Sirshar, M.: Review Analysis on Requirement Elicitation and its Issues. Int. J. Comput. Commun. Syst. Eng.(IJCCSE). vol. 2. no.3. (2015) pp. 484-489.
9. Besrou, S., Rahim, L., Dominic, P.: The Study of Available Techniques for Existing Requirements Engineering Challenges Based on Literature Review Evidences. Research

- Journal of Applied Sciences, Engineering and Technology. vol. 8. no. 19 (2014) pp. 2082–2091.
10. Yousuf, M., Asger, M., Bokhari, M.: A Systematic Approach for Requirements Elicitation Techniques Selection : A Review. *International Journal of Advanced Research in Computer Science and Software Engineering*. vol. 5. no. 4 (2015). pp. 1399–1403.
  11. Abbasi, M., Jabeen, J., Hafeez, Y., Batool, D., Fareen, N.: Assessment of Requirement Elicitation Tools and Techniques by Various Parameters. *Softw. Eng. Vol. 3. No. 2* (2015) pp. 7–11.
  12. Zapata, C., Losada, B., Calderón, G.: An approach for using procedure manuals as a source for Requirements Elicitation. In *IEEE XXXVIII Conferencia Latinoamericana En Informatica (CLEI)*. IEEE (2012).
  13. Viller, S., Sommerville, I.: Social analysis in the requirements engineering process: from ethnography to method. In *IEEE International Symposium on Requirements Engineering* (1999).
  14. Swarnalatha, K., Srinivasan, G., Bhandary, P., Kishore, P., Rakesh, R.: Requirement Elicitation in Web Applications: Challenges. *International Journal of Research in Computer and Communication Technology Advance Technology*. vol. 3. no. 3 (2014) pp. 382–386.
  15. Anwar, F., Razali, R.: A practical guideline of selecting stakeholders for requirements elicitation-An empirical study. *International Journal of Software Engineering and its Applications*. vol. 9. no. 2 (2015). pp. 95-106.
  16. Khan, S., Dulloo, A., Verma, M.: Systematic review of requirement elicitation techniques. *Int. J. Inf. Comput. Technol.* vol. 4. no. 2 (2014). pp. 133–138.
  17. Zave, P.: Classification of research efforts in requirements engineering. *ACM Computing Surveys (CSUR)*. vol. 29. no. 4 (1997). pp. 315-321.
  18. Zowghi, D., Coulin, C.: Requirements elicitation: A survey of techniques, approaches, and tools. in *Engineering and managing software requirements* (2005) pp. 19-46.
  19. Hoffer, J., George, J., Valacich, J.: *Modern Systems Analysis and Design*. 5th ed. New Jersey: Pearson International Edition (2008).
  20. Ismail, N., Razak, M., Zakariah, Z., Alias, N., Aziz, M.: E-learning continuance intention among higher learning institution students' in Malaysia. *Procedia-Social and Behavioral Sciences*. vol 67 (2012) pp. 409-415.
  21. Ur Rehman, T., Khan, M., Riaz, N.: Analysis of requirement engineering processes, tools/techniques and methodologies. *International Journal of Information Technology and Computer Science (IJITCS)*. vol. 5. no.3 (2013). pp. 40.
  22. Driscoll, D.: Introduction to primary research: Observations, surveys, and interviews. *Writing Spaces: Readings on Writing*. vol 2 (2011) pp. 153-174.
  23. Ogwueleka, F.: Requirement elicitation problems in software development-A case study of a GSM service provider. *Indian Journal of Innovations and Developments*. vol. 1. no. 8 (2012). pp. 599-605.
  24. Mulla, N., Girase, S.: Comparison of Various Elicitation Techniques and Requirement Prioritisation Techniques. *International Journal of Engineering Research and Technology*. vol. 1 no. 3 (2012). p. 1–8.
  25. Mulla, N., Girase, S.: A new approach to requirement elicitation based on stakeholder recommendation and collaborative filtering. *International Journal of Software Engineering & Applications*. vol. 3. no. 3 (2012). pp. 51.
  26. Hickey, A., Davis, A.: Requirements elicitation and elicitation technique selection: model for two knowledge-intensive software development processes. In *IEEE 36th Annual Hawaii International Conference on System Sciences* (2003) pp. 10.
  27. Basir, B., Salam, R.: Tacit requirements elicitation framework. *ARPJ Journal of Engineering and Applied Sciences*. vol. 10 no. 2 (2015). pp. 572–578.

28. Murali, V., Sinha, N., Torlak, E., Chandra, S. : What gives? A hybrid algorithm for error trace explanation. In Working Conference on Verified Software: Theories, Tools, and Experiments (2014) pp. 270-286.
29. Albert, M., Ravi, T.: Structural software testing: hybrid algorithm for optimal test sequence selection during regression testing. *International Journal of Engineering and Technology (IJET)*. vol. 7. no. 1 (2015). pp. 270–279.
30. Harrold, M., Steimann, F., Tip, F., Zeller, A.: Fault prediction, localization, and repair. in Dagstuhl Seminar (Vol. 13061) (2013).
31. Rooksby, J., Sommerville, I., Pidd, M.: A hybrid approach to upstream requirements: IBIS and cognitive mapping. in *Rationale management in software engineering* (2006) 137-154.
32. Paetsch, F., Eberlein, A., Maurer, F.: Requirements engineering and Agile Software Development. In *12th IEEE International Workshops on Enabling Technologies: Infrastructure for Collaborative Enterprise* (2003) pp. 308–313.
33. Achimugu, P., Selamat, A., Ibrahim, R. & Mahrin, M. : A systematic literature review of software requirements prioritization research. *Information and Software Technology*. vol. 56. no. 6 (2014) pp. 568-585.
34. Martinez, M.: Key design considerations for personalized learning on the web. *Educational Technology & Society*. vol. 4. no.1 (2001) pp. 26-40.
35. Bekaroo, G., Bokhoree, C., Pattinson, C.: Impacts of ICT on the natural ecosystem: A grassroot analysis for promoting socio-environmental sustainability. *Renewable and Sustainable Energy Reviews*. vol. 57 (2016) pp. 1580-1595.